

WECORK

BEST IN NATURAL FLOORING™



Sustainable



Healthy



Acoustic



Insulating



Comfortable






17.44 sf per carton
 Dimensions: 35 9/16" x 11 7/8" x 7/16"
 Finished with Greenshield, for light commercial or residential use


Avant Garde Collection

FLOATING FLOOR PLANKS

SARDINIA



BARCELONA



CANYON




CASTLE TUSCANY



CLASSIC



MONTE CARLO



OLIVE BARCELONA




RENAISSANCE



RENAISSANCE EARTH



SADDLE MONTE CARLO




SARDINIA


FLOATING OR GLUE-DOWN FLOORS?

Our easy-to-install cork floating floors feature a Uniclic locking mechanism to click planks or tiles together. Floating floors are best suited for light commercial or residential use, except for our commercial grade Serenity Collection.

Our glue down cork floors are available in tiles and rolls. In addition to residential use, they are great for commercial applications such as hospitals, restaurants and bars, libraries, churches, hotels and inns, universities, schools, retail and other.



WHITE CANYON



ZURICH

LIGHT SHADE

Dimensions: 12" x 12", 12" x 24", and 24" x 24"

Thicknesses: 3/16", 1/4", 5/16"

Special orders: 1/2" tiles and various plank formats;
minimum of 3,000 sf, 12-16 week lead time

Unfinished or with Greenshield, for full commercial
or residential use

Classic Collection


GLUE-DOWN TILES



LIGHT SHADE



MEDIUM SHADE



DARK SHADE

HOMOGENOUS TILES

Our Classic tiles can be sanded
and refinished like hardwood.
This includes all shades, except
when ordered stained. Installed
since the 70's, tiles come either
unfinished or finished.



ASH

20.34 sf per carton

Dimensions: 35 2/5" x 11 4/5" x 3/8"

Finished with Greenshield, for light
commercial or residential use

Eco-Nomical Collection

FLOATING FLOOR PLANKS




ASH



EARTH



IVORY



NATURAL



SABLE



WHITE

CANYON FR

COMMERCIAL GRADE -
FADE, SCRATCH & WATER RESISTANT

High definition cork, wood, or stone visuals are digitally printed on a high density cork substrate. Comes with a patented hot coating and has an AC5 / Class 33 wear rating, for full commercial or residential use.

Planks: 20.24 sf per carton

Dimensions: 48 5/8" x 12 1/64" x 7/16"

Planks FR: 18.08 sf per carton

Dimensions: 36" x 12" x 7/16"

Tiles: 18.08 sf per carton

Dimensions: 24 13/32" x 17 23/32" x 7/16"

Serenity Collection

FLOATING FLOOR PLANKS & TILES



CANYON FR



MONTE CARLO FR



HEARTH SLATE (TILE)




SANDSTORM (TILE)



BLOND FRENCH OAK



FRENCH AUTUMN OAK



RED OAK



SUNRISE OAK



SUNSET ACACIA



SANDSTORM

SUNSET ACACIA

PEAR



82.88 sf per roll
Dimensions: 18' x 55" x 1/8"
Comes unfinished and can be stained to any color,
for full commercial or residential use.



Corkoleum Collection


GLUE-DOWN ROLLS




FIG



GRIT



LEMON



PEAR

THE WATER-RESISTANT CORK FLOORING IN A ROLL!

Corkoleum features a top layer of decorative cork, underneath which is a thin layer of polyurethane (PU) backed by a composite of cork and recycled rubber. A uniquely versatile product, Corkoleum can be used for living rooms, bedrooms, bathrooms, kitchens, libraries, physiotherapy rooms and gyms. Other creative applications include boats, RVs, custom jets, buses, staircases, walls, dividers, counter tops and more!



Floating Floor Specifications

SPECIFICATION	SERENITY	AVANT GARDE & ECO-NOMICAL
Dimensions (EN 427)	620 mm x 450 mm 915 mm x 305 mm 1235 mm x 305 mm	900 mm x 300 mm
Thickness (EN 428)	11 mm	10 mm - 11 mm
Weight (EN430)	8.9 Kg/m ²	8 Kg/m ²
Classification (EN 16511) - Domestic/Commercial	23 / 33	23 / 31
Dimensional Stability (EN 434)	< 0.05 %	0.10%
Impact Resistance (EN 438-2 / EN 13329)	2000 / 14 mm / Class 33	4 N / Grade 3
Residual Indentation (EN 433 / EN ISO 24343-1)	0.15 mm	0.13 mm
Fire Resistance (EN ISO 9239-1 / DIN EN 13501)	Cfl s1	Cfl s1
Thermal Resistance (EN 12524 / EN 12667)	0.108 m ² K/W	0.1 m ² K/W
Impact Sound Reduction (EN ISO 717-2 / EN 140)	18 dB	17 dB - 19 dB
Lightfast (ISO 105)	> 7	
Abrasion Resistance (EN 14354 & EN 13329)	AC5	
Certification / Verification	EPD (Env. Product Declaration)	Greenguard Gold



100% RAPIDLY RENEWABLE

The premium cork used in our products comes from the bark of cork oak trees grown in Portugal and the Mediterranean region. Trees remain unharmed when their bark is harvested, and consume up to five times as much CO² during the nine years it takes them to regenerate their bark!



Serenity



Avant Garde, Eco-Nomical

SEE IN
YOUR
ROOM



SCAN
NOW TO
VISUALIZE